

INDEX MAPS.

T. 17 N., R. 2 W. 2nd Mer.

	408		407		407		407		406		406	
409	6	429	5	425	4	421	3	417	2	413	1	406
	431		429		425		421		417		413	
409	7	428	8	424	9	420	10	416	11	413	12	406
	431		428		424		420		416		412	
409	18	428	17	424	16	420	15	416	14	412	13	405
	430		427		423		419		415		412	
409	19	427	20	423	21	419	22	415	23	411	24	405
	430		426		423		419		415		411	
408	30	426	29	422	28	418	27	414	26	410	25	405
	429		426		422		418		414		410	
408	31	425	32	421	33	418	34	414	35	410	36	404
	404		404		404		403		403		403	

T. 18 N., R. 2 W. 2nd Mer.

	440		439		439		439		438		438	
441	6	460	5	456	4	453	3	449	2	445	1	438
	462		460		456		452		448		445	
441	7	459	8	456	9	452	10	448	11	444	12	437
	461		459		455		452		448		444	
441	18	459	17	455	16	451	15	447	14	444	13	437
	463		458		455		451		447		443	
441	19	458	20	454	21	451	22	447	23	443	24	437
	461		458		454		450		446		443	
440	30	457	29	454	28	450	27	446	26	442	25	437
	460		457		453		449		446		442	
440	31	457	32	453	33	449	34	445	35	442	36	436
	436		436		435		435		435		435	

(F) The figures on the lines refer to the page.

Township N. 17 North, Range N. 2 West 2^d P. Mer. Ind.?

Township Line.

South Boundary Var. 6° 00' E

Bearing at cor. of P. 17 N, R. 2 W.

a W. Ash 10 in. diam. bears S 36° W 7 1/2 Ms. dist. 1.8

a Hickory 9 " " " N 39° E 4 " "

West on the S. Boundary of Sec. 36

40.00 tot g. sec. part from which

an Elm 10 in. diam. bears S 88° E 21 Ms. dist. 1.8

a W. Ash 10 " " " S 84° W 11 " "

59.50 a Brook 8 Ms. wide corner S

80.00 tot part cor. of sec. 35 & 36 from which

a Hickory 10 in. diam. bears N 54° E 23 Ms. dist. 1.8

a Beech 10 " " " S 48° W 41 " "

Land rolling, good farming land, Beech, Sugar,
Walnut

West on the S. Boundary of Sec. 35

40.00 tot g. sec. part from which

a W. Oak 18 in. diam. bears S 50° W 37 Ms. dist. 1.8

a Beech 12 " " " N 17° W 38 " "

80.00 tot part cor. of sec. 34 & 35 from which

a B. Ash 18 in. diam. bears N 37° E 17 Ms. dist. 1.8

a Beech 14 " " " S 25° W 17 " "

Land &c. similar to last mile, part wet

West on the S. Boundary of Sec. 34

40.00 tot g. sec. part from which

a Sugar 30 in. diam. bears N 63° W 57 Ms. dist. 1.8

a Do 27 " " " S 54° E 23 " "

55.00 a Creek 30 Ms. wide corner S

80.00 tot part cor. of sec. 33 & 34 from which

a Buckeye 9 in. diam. bears N 15° E 16 Ms. dist. 1.8

a Beech 20 " " " S 77° W 45 " "

Land rich & good for farming, Prato soil,
Beech, Sugar, Poplar, some Walnut.

T. 17 N., R. 2 W. 2. Mer. Ind. a

Chs. Lbs.

West on the S. Boundary of Sec. 33

33.00 a Brook 4 lbs. wide corner S

40.00 tot of sec. part from which

a Beech 9 in. diam bears N 7 E 20 lbs. dist. 8

a Do 18 " " " S 69 W 9 " "

80.00 tot part cor. of sec. 32 & 33 from which

a Beech 12 in. diam bears S 68 E 24 lbs. dist. 8

a Sugar 30 " " " S 82 W 59 " "

Land &c. similar to the last mile

West on the S. Boundary of Sec. 32

39.00 a Creek 50 lbs. wide corner S W

40.00 tot of sec. part from which

a Buckeye 8 in. diam bears N 78 E 19 lbs. dist. 8

a Do 9 " " " S 57 W 28 " "

53.50 a Spring branch 4 lbs. wide corner S

80.00 tot part cor. of sec. 31 & 32 from which

a Beech 11 in. diam bears N 67 E 41 lbs. dist. 8

a Do 18 " " " S 41 W 27 " "

Land &c. same as on the last mile

West on the S. Boundary of Sec. 31

40.00 tot of sec. part from which

a Hickory 9 in. diam bears S 43 E 13 lbs. dist. 8

a Gum 9 " " " North 25 " "

45.59 Entered Range line 868 lbs. N. of temp. Town. cor.

tot part at intersection cor. of T. 16 N., R. 2 & 3 W. from

which a B. Walnut 30 in. diam bears N 70 W 6 lbs. dist. 8

a Beech 10 " " " S 55 E 17 " "

80.00 tot part cor. of T. 17 N., R. 2 & 3 W. from which

an Elm 15 in. diam bears N 64 W 10 lbs. dist. 8

a Maple 9 " " " S 12 E 14 " "

Land level & part wet

East Boundary. Var. 6° 10' E.
North on the E. Boundary of Sec. 36

T. 17 N., R. 2 W. 2. Mer. Ind. a.
Chas. L. H.

- 40.00 set of sec. post from which
a Beech 11 in. diameter S68 E 30 M. dist. 8
a Do 14 " " " S87 W 33 " "
78.00 enter Swamp
80.00 set post cor. of sec. 25 & 36 from which
a W. Ash 12 in. diameter N60 W 22 M. dist. 8
a Maple 10 " " " S84 W 24 " "
Land level, Beech, Sugar Oak, Ash, Hickory.
Good farming land

North on the E. Boundary of Sec. 25

- 2.00 passed Swamp
40.00 set of sec. post from which
an Ironwood 6 in. diameter S67 W 8 M. dist. 8
a Beech 9 " " " S89 E 12 " "
80.00 set post cor. of sec. 24 & 25 from which
an Elm 24 in. diameter S50 W 32 M. dist. 8
a Do 27 " " " N20 E 43 " "
Land similar to that on last mile

North on the E. Boundary of Sec. 24

- 40.00 set of sec. post from which
a W. Ash 9 in. diameter N85 E 12 M. dist. 8
an Elm 11 " " " West 33 " "
80.00 set post cor. of sec. 13 & 24 from which
a Beech 12 in. diameter S66 E 23 M. dist. 8
a W. Oak 48 " " " N63 W 6 " "
Land similar to that on last mile

North on the E. Boundary of Sec. 13

- August 30, 1818
38.00 a Brook 10 M. wide runs W
40.00 set of sec. post from which
a W. Ash 5 in. diameter N78 E 8 M. dist. 8
a S. Oak 30 " " " S26 W 19 " "
80.00 set post cor. of sec. 12 & 13 from which

T. 27 N., R. 2 W. 2. Mer. Ind. a
 Ch. 28.

a Beech 12 in. dia bears S 68 E 24 lbs. dist. 8
 a Do 9 " " " N 68 W 19 " "
 Land same as on last mile, part wet

North on the E. Boundary of Sec. 12

40.00 to g. sec. post from which

a W. Oak 18 in. dia bears N 40 W 13 lbs. dist. 8

a Beech 14 " " " N 54 E 16 " "

65.00 a Brook 30 lbs. wide course W

80.00 to post cor. of sec. 1 & 12 from which

a Beech 7 in. dia bears N 59 E 13 lbs. dist. 8

a Sugar 10 " " " S 81 W 33 " "

Land similar to that on last mile

North on the E. Boundary of Sec. 1

20.00 a Brook 10 lbs. wide course W

40.00 to g. sec. post from which

a W. Oak 18 in. dia bears N 60 E 30 lbs. dist. 8

a Beech 18 " " " N 75 W 24 " "

80.00 to temp. Township corner.

Land &c. the same as on the last mile

North Boundary, Var. 6° 05' E.
 West on the S. Boundary of Sec. 36, T 18 N., R 2 W

35.00 enter Swamp

40.00 to g. sec. post from which

an Elm 18 in. dia bears S 34 W 63 lbs. dist.

(No other Bearing tree)

42.00 passed Swamp

80.00 to post cor. of sec. 35 & 36 from which

a W. Oak 48 in. dia bears N 55 E 17 lbs. dist. 8

a B. Ash 10 " " " S 19 W 18 " "

Land level & rate, middling good farming
 land, Sugar, Oak, Elm, Elm

West on the S. Boundary of Sec. 35, T 18 N., R 2 W

T. 17 N., R. 2 W. 2^d. Mer. Ind.^a
Ch. 2^d Sec.

40.00 set of sec. part from which
a Sugar 9 in. dia. bears S 51° W 21 lbs. dist. 8
a Buckeye 2 " " East 5 " "
80.00 set part cor. of sec. 34 & 35 from which
a Beech 8 in. dia. bears N 16° E 22 lbs. dist. 8
a Sugar 11 " " " S 44° W 22 " "
Land similar, good farming land

West on the S. Boundary of Sec. 34, T 18 N., R 2 W.

35.00 dry Branch 10 lbs. wide course N

40.00 set of sec. part from which
a W. Ash 18 in. dia. bears S 77° E 18 lbs. dist. 8
a Hickory 12 " " " N 84° W 6 " "

80.00 set part cor. of sec. 33 & 34 from which
an Elm 18 in. dia. bears S 40° E 18 lbs. dist. 8
a S. Oak 36 " " " S 67° W 40 " "
Land same as on the last mile

West on the S. Boundary of Sec. 33, T 18 N., R 2 W

40.00 set of sec. part from which
a Beech 9 in. dia. bears N 47° E 21 lbs. dist. 8
a Sugar 10 " " " S 82° W 37 " "

80.00 set part cor. of sec. 32 & 33 from which
a Beech 9 in. dia. bears N 44° W 6 lbs. dist. 8
a Sugar 8 " " " S 45° E 14 " "
Land same as on the last mile

West on the S. Boundary of Sec. 32, T 18 N., R 2 W
September 3. 1818

25.00 a Brook 10 lbs. wide course N W

40.00 set of sec. part from which
a Beech 10 in. dia. bears S 80° E 30 lbs. dist. 8
a Do 9 " " " N 77° W 23 " "

80.00 set part cor. of sec. 31 & 32 from which
a Buckeye 10 in. dia. bears N 79° E 20 lbs. dist. 8
a Beech 12 " " " N 60° W 25 " "

T. 17 N., R. 2 W. 2. Sec. Ind. a
 Obs. Lk?

Land level 2. rate, good for farming, timber
 same as last noted, some Walnut

West on the S. Boundary of Sec. 31, T 18 N, R 2 W
 40.00 tot g. sec. part from which

a Beech 10 in. diam bears N 79 W 33 lbs. dist. 8

a W. Ash 18 " " " N 14 E 53 " "

78.97 Intersect Range line at temp. Township corner -
 establish cn. of T. 17 & 18 N, R. 2 & 3 W. from which

a Beech 24 in. diam bears West 21 lbs. dist. 8

a Do 9 " " " S 62 E 34 " "

Land similar to that on last mile

Bearings at corner of T. 17 & 18 N, R. 1 & 2 W.

a Hickory 14 in. diam bears N 15 W 17 lbs. dist. 8

a S. Oak 36 " " " S 23 E 37 " "

(These Bearings should have been given at the
 beginning of the N. Boundary)

West Boundary. Var. @ 25. E
 North on the E. Boundary of Sec. 36, T 17 N, R 3 W
 40.00 tot g. sec. part from which

a Beech 12 in. diam bears S 12 W 18 lbs. dist. 8

a Sugar 18 " " " N 35 W 35 " "

80.00 tot part cn. of Sec. 25 & 36 from which

a Poplar 9 in. diam bears S 2 W 19 lbs. dist. 8

an Elm 12 " " " N 32 W 31 " "

Land level 2. rate, part wet, Beech, Sugar, Ash,
 Elm, Oak &c.

North on the E. Boundary of Sec. 25, T 17 N, R 3 W
 40.00 tot g. sec. part from which

a Poplar 48 in. diam bears S 38 W 19 lbs. dist. 8

a Sugar 8 " " " N 13 W 31 " "

80.00 tot part cn. of sec. 24 & 25 from which

a Beech 11 in. diam bears N 76 W 15 lbs. dist. 8

Bees...

T. 17 N., R. 2 W. 2. Mer. Ind. a.
Ct. & M.

a Poplar 30 in. diameter N 59 E 4 1/2 hrs. dist.
Land level, timber same, good farming land

North on the E. Boundary of Sec. 24, T18 N, R39 W

40.00 set of sec. post from which
a Beech 10 in. diameter N 66 E 1 1/4 hrs. dist. &
a Poplar 30 " " " N 86 W 5 " "

80.00 set post cor. of sec. 13 & 24 from which
a Beech 10 in. diameter N 18 E 1 1/2 hrs. dist. &
a Do 9 " " " S 89 W 2 1/4 " "
Land same as on the last mile

North on the E. Boundary of Sec. 13, T18 N, R39 W

40.00 set of sec. post from which
a Sugar 9 in. diameter N 68 W 1 1/2 hrs. dist. &
a Do 18 " " " S 36 E 2 1/4 " "

65.00 a Brook 15 hrs. wide runs W
80.00 set post cor. of sec. 12 & 13 from which
a Sugar 6 in. diameter S 20 E 1 1/2 hrs. dist. &
a Do 10 " " " N 32 E 1 1/2 " "
Land a little rolling, Beech, Sugar, Walnut,
Ash, Oak &c. rich & good for farming

North on the E. Boundary of Sec. 12, T18 N, R39 W

40.00 set of sec. post from which
a Hickory 18 in. diameter S 79 W 1 1/2 hrs. dist. &
a Beech 9 " " " N 7 E 2 1/4 " "

80.00 set post cor. of sec. 11 & 12 from which
a Beech 9 in. diameter N 17 E 5 hrs. dist. &
a Do 12 " " " N 7 E 2 1/4 " "
Land similar to that on the last mile

North on the E. Boundary of Sec. 1, T18 N, R39 W

30.00 a Creek 30 hrs. wide runs W
40.00 set of sec. post from which
a W. Beech 5 in. diameter S 4 E 20 hrs. dist. &

2
1/2

T. N., R. 2 N. E. Mer. Ind. a
 Oak. Sh.

a Beech 9 in. dia. bears N 53° W 17 Ms. dist.
 03.00 a Brook 10 Ms. wide course W

80.00 set temp. Township corner.

Land similar to that on last mile
 Surveyed in 1818 by William Harris
 Dep. Surveyor.

Subdivision. Var. given 6° 10' E
 run 6° 40' E

North between Sect. 35 & 36, T. 17 N., R. 2 W

29.40 a W. Oak 24 in. dia.

40.00 set qt. sec. point from which

a B. Ash 12 in. dia. bears N 22° E 16 Ms. dist. S

an Elm 12 " " " N 87° W 26 " "

01.20 a Sugar 20 " "

80.00 set point cn. of sect. 25, 26, 35 & 36 from which

a Beech 14 in. dia. bears S 71° E 32 Ms. dist. S

a S. 15 " " " S 85° W 3 " "

First 1/2 mile level 2^d rate, 1/2 mile same,
 timber Beech, Sugar, Poplar, Walnut & W. Spruce
 Spruce &

East on Random between Sect. 25 & 36

40.00 set temp. qt. sec. point

80.00 Interset E. Boundary 80 Ms. N. of point -

Land rolling 2^d rate, timber Beech, Sugar,
 Poplar & W. Spruce &

West Connected between Sect. 25 & 36

40.30 set qt. sec. point at area. dist. from which

a B. Ash 12 in. dia. bears N 22° E 5 Ms. dist. S

a Beech 15 " " " S 39° E 30 " "

80.00 to sec. cn.

North between Sect. 25 & 26

11.70 a Brook 4 Ms. wide course S W

Twp. N., R. 2 W. 2. Mer. Ind.?

East Sec.

21.00 a Sugar 18 in. dia.

40.00 set of sec. port from which

a Sugar 20 in. dia. bears S 52 E 18 Ms. dist. 8

a Beech 12 " " " S 12 W 4 " "

52.00 a W. Oak 48 " "

80.00 set port cor. of sec. 23, 24, 25 & 26 from which

a Beech 16 in. dia. bears S 18 E 15 Ms. dist. 8

a Do 10 " " " N 2 E 14 " "

Land 1 $\frac{1}{2}$ mile rolling rich, 2 $\frac{1}{2}$ mile level
rich, timber Poplar, Beech, Ash, Walnut &
W. Spruce

East on Random between Sec. 24 & 25

40.00 set temp. of sec. port

80.64 Intersect E. Boundary 33 Ms. N. of port -

Land part rolling & rate, timber Beech, Sugar,
Poplar, W. Oak & W. Spruce

West Corrected between Sec. 24 & 25

40.32 set of sec. port at aver. dist. from which

a Sugar 20 in. dia. bears S 80 E 8 Ms. dist. 8

a W. Ash 30 " " " N 2 W 18 " "

80.64 to sec. cor.

North between Sec. 23 & 24

18.00 a Buckeye 12 in. dia.

40.00 set of sec. port from which

a W. Ash 12 in. dia. bears N 78 E 20 Ms. dist. 8

a R. Oak 14 " " " S 40 W 20 " "

59.58 a W. Oak 48 " "

63.60 a Brook 3 Ms. wide course S W

80.00 set port cor. of sec. 13, 14, 23 & 24 from which

a Sugar 18 in. dia. bears S 69 W 14 Ms. dist. 8

a Do 15 " " " S 61 E 8 " "

Land level 2. rate, timber Beech, Sugar, Poplar
& W. Spruce &

T. 17 N., R. 2 W. 2. Mer. Ind. a.

Chas. L. B.

East on Random between Sec. 13 & 24

5.00 a Brook 3 W. wide course S W

40.00 set temp. of sec. port

80.06 Intersect E. Boundary 50 Ws. N. of port -

Land level 2. rate, timber Beech, Sugar, W. Oak,
Upr. Spice, P. Ash &c

West Corrected between Sec. 13 & 24

40.33 set of sec. port at aver. dist. from which

a Hickory 20 in. diam bears S 8 E 38 Ws. dist. 18

a W. Ash 14 " " " N 65 W 25 " "

80.06 to sec. cor. June 23, 1820

North between Sec. 13 & 14

14.46 a Hickory 20 in. dia.

40.00 set of sec. port from which

a Sugar 14 in. diam bears S 66 E 28 Ws. dist. 18

a P. Oak 24 " " " N 49 W 25 " "

58.04 a Sugar 16 " "

80.00 set port cor. of sec. 11, 12, 13 & 14 from which

a Sugar 14 in. diam bears N 57 W 33 Ws. dist. 18

a Beech 12 " " " S 11 E 42 " "

Land level 2. rate, timber Beech, Sugar, W. Oak
Poplar &c Upr. Spice &c

East on Random between Sec. 12 & 13

40.00 set temp. of sec. port

80.08 Intersect E. Boundary 6 Ws. N. of port -

Land level good 2. rate, timber W. Oak, Beech,
Sugar &c Upr. Spice &c

West Corrected between Sec. 12 & 13

40.34 set of sec. port at aver. dist. from which

a W. Oak 30 in. diam bears S 72 E 15 Ws. dist. 18

a Beech 14 " " " S 30 W 40 " "

80.08 to sec. cor.

T. 17 N., R. 2 W., 2^d Mer. Ind. a

Ch. Lks.

North between Sec. 11 & 12

13.50 a Branch of Eel River 20 lks. wide course S W

15.70 a W. Ash 15 in. dia.

40.00 set of sec. post from which

a Sugar 15 in. dia. bears S 68 W 24 lks. dist. S

a Beech 22 " " " N 43 E 30 " "

54.60 a Do 12 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 14 in. dia. bears S 66 E 18 lks. dist. S

a W. Oak 24 " " " N 79 W 17 " "

Land rolling rich, timber W. Oak, Walnut,
Ash, Sugar, Beech & Upr. Spruce

East on Random between Sec. 1 & 12

40.00 set temp. of sec. post

57.50 a Branch of Eel River 20 lks. wide course S E

65.60 same, course N W

80.72 Intersect E. Boundary 8 lks. — of post —

Land rolling rich, timber W. Oak, Walnut, Sugar,
Ash, Beech & Upr. Spruce &

West Corrected between Sec. 1 & 12

40.36 set of sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 64 E 10 lks. dist. S

a Do 16 " " " S 44 W 19 " "

80.72 to sec. cor.

North between Sec. 1 & 2

17.00 a Beech 20 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 69 E 13 lks. dist. S

a Poplar 48 " " " N 47 W 18 " "

47.00 a Do 96 " "

81.66 Intersect N. Boundary 65 lks. N. of post —

set post at intersection cor. of sec. 1 & 2 from which

a Spruce 14 in. dia. bears N 77 E 8 lks. dist. S

T. 17 N., R. 2 W. L. Mer. Ind. a
Chs. Ind.

a Spruce 10 in. diam bears S 55° W 10 lbs. dirt.
Land rolling good L. rate, timber Walnut,
Beech, W. Oak, Poplar, Ash, Upr. Spice &c.
June 24, 1820

North between Sect. 34 & 35

23.20 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. diam bears N 88° E 39 lbs. dirt &

a Sugar 18 " " " N 68° W 22 " "

45.00 a Brook 3 lbs. wide course S W

55.25 a Beech 20 in. dia.

80.00 set post cor. of sect. 26, 27, 34 & 35 from which

a Beech 10 in. diam bears N 60° E 16 lbs. dirt &

a Do 12 " " " N 39° W 22 " "

Land level L. rate, timber Beech, Sugar, W. Oak &c. Upr. Spice &c.

East on Random between Sect. 26 & 35

40.00 set temp. g. sec. post

80.00 Intersect N 2 S. line 45 lbs. N. of post -

Land level L. rate, timber Beech, Sugar, W. Oak &c. Upr. Spice

West Corrected between Sect. 26 & 35

40.00 set g. sec. post at aver. dirt from which

a Beech 15 in. diam bears N 32° E 32 lbs. dirt &

a Do 12 " " " S 32° W 18 " "

80.00 to sec. cor.

North between Sect. 26 & 27

5.00 a Brook 5 lbs. wide course S W

19.06 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. diam bears N 62° E 5 lbs. dirt &

a Do 14 " " " N 50° W 2 " "

T. 17 N., R. 2 W., S. Mer. Ind. Co.

East. Ebs.

62.50 a Hickory 18 in. dia.

69.00 a Brook 4 Ms. wide course SE

80.00 set pt. cen. of sec. 22, 23, 26 & 27 from which
a Sugar 15 in. dia. bears S 32 E 24 Ms. dist. 3

a Beech 14 " " " N 31 W 3 " "

Land level 2 rates, timber Beech, Sugar, W. Oak
H. Uls. Spice

East on Random between Sec. 23 & 26

30.00 a Brook 5 Ms. wide course SE

40.00 set temp. of sec. point

80.00 Intersect N & S. line — 1/4 Mi. N. of point —

Land level 2 rates, timber Beech, Sugar, W. & R.
Oak & Uls. Spice &

West Easculated between Sec. 23 & 26

40.03 set of sec. point at aver. dist. from which
a Beech 24 in. dia. bears S 75 W 20 Ms. dist. 3

a Do 20 " " " N 57 E 16 " "

80.00 to sec. cen.

North between Sec. 22 & 23

21.26 a Poplar 36 in. dia.

40.00 set of sec. point from which

a Maple 12 in. dia. bears N 20 E 23 Ms. dist. 3

a Beech 12 " " " S 44 E 14 " "

57.00 a Buckeye 14 " "

80.00 set pt. cen. of sec. 14, 15, 22 & 23 from which

a Beech 16 in. dia. bears S 30 E 10 Ms. dist. 3

a Do 12 " " " N 63 W 35 " "

Land level 2 rates, timber Beech, Sugar, Poplar
& Uls. Spice &

East on Random between Sec. 14 & 23

40.00 set temp. of sec. point

80.30 Intersect N & S. line 1/4 Mi. N. of point —

T. 17 N., R. 2 W. 2. Mer. Ind. a
Ch. & Lk.

Land rolling rich, timber Beech, Sugar, Poplar,
W. Oak & Upr. Spice &c

West Corrected between Sec. 14 & 23

40.15 set of sec. put at aver. dist. from which
a Hickory 18 in. diameter N 7 E 14 lbs. dist. 8
a W. Oak 18 " " " S 18 W 6 " "

80.30 to sec. cor. June 25, 1820

North between Sec. 14 & 15

6.50 a Branch of Eel River 20 lbs. wide course S W

40.00 set of sec. put from which
a Walnut 20 in. diameter N 39 W 5 lbs. dist. 8
a Sugar 12 " " " S 20 W 12 " "

67.50 a Brook 3 lbs. wide course N E

68.50 a Sugar 14 in. dia.

80.00 set put cor. of sec. 10, 11, 14 & 15 from which
a W. Ash 24 in. diameter S 84 E 18 lbs. dist. 8
a Walnut 30 " " " N 80 W 24 " "

Land rolling good 2. rate, timber W. Oak, Walnut,
Sugar & Upr. Spice

East on Random between Sec. 11 & 14

20.09 a Brook 3 lbs. wide course S E

32.00 Eel River 20 lbs. wide course S E

80.25 Intersect N & S line 3 lbs. N. of post -

Land rolling good 2. rate, timber W. Oak, Sugar,
Poplar & Upr. Spice

West Corrected between Sec. 11 & 14

40.12 h set of sec. put at aver. dist. from which
a R. Oak 40 in. diameter S 50 W 10 lbs. dist. 8
a Beech 8 " " " S 19 E 18 " "

80.25 to sec. cor.

North between Sec. 10 & 11

T. 17 N., R. 2 W. 2. Mer. Ind. a

Chap. 264

19.70 a Beech 12 in. dia.
 40.00 set of sec. post from which
 a Sugar 30 in. dia bears S41 E 4 1/2 hrs. dist. 3
 a Do 8 " " " S49 W 22 " "
 54.30 a Beech 12 " "
 80.00 set post en. of sec. 2, 3, 10 & 11 from which
 a Beech 14 in. dia bears N 66 E 17 1/2 hrs. dist. 3
 a Do 18 " " " N 23 W 37 " "
 Land rolling & rich 2^d rate, timber W. Oak, Walnut,
 Ash, Sugar & Upr. Spice

East on Random between Sec. 2 & 11

40.00 tot temp. of sec. post
 80.23 Intersect N. S. line 18 hrs. N. of post -
 Land rolling good 2^d rate, timber W. Oak, Poplar, Sugar,
 Ash & Upr. Spice

West Connected between Sec. 2 & 11

40.11 1/2 set of sec. post at aver. dist. from which
 a Sugar 6 in. dia bears S41 W 6 hrs. dist. 3
 a Beech 12 " " " N 29 E 18 " "
 80.23 to sec. cor.

North between Sec. 2 & 3

16.00 a W. Oak 18 in. dia.
 40.00 set of sec. post from which
 a Poplar 24 in. dia bears N 63 E 9 hrs. dist. 3
 a Hickory 10 " " " N 58 W 25 " "
 57.90 a W. Oak 16 " "
 82.05 Intersect N. Boundary 22 hrs. W. of post -
 set post at intersection en. of sec. 2 & 3 from which
 a Sugar 12 in. dia bears S 2 E 9 hrs. dist. 3
 a Beech 12 " " " N 88 W 14 " "
 Land 1 1/2 miles rolling good 2^d rate, last 1/2 mile
 level 2^d rate, timber W. Oak, Poplar, Sugar, Beech &
 Upr. Spice June 26. 1820

T. 17 N., R. 2 W. 2. Mer. Ind. a.
Ch. Sh.

North between Sect. 33 & 34

17.50 a Beech 12 in. dia.

40.00 set of sec. part from which

a W. Oak 15 in. dia. bears N 20 E 8 lbs. dist. 8

a Beech 14 " " " S 23 W 20 " "

66.90 a Br. Oak 18 " "

80.00 set part con. of Sect. 27, 28, 33 & 34 from which

a Beech 16 in. dia. bears N 82 E 22 lbs. dist. 8

a W. Oak 36 " " " South 20 " "

Land level 2. rate, timber Beech, Sugar, W. Oak,
Poplar & Upr. Spice

East on Random between Sect. 27 & 34

40.00 set temp. of sec. part

76.50 a Brook 4 lbs. wide course SE

80.38 Intersect N. S. line 19 lbs. N. of part -

Land level 2. rate, timber Beech, Sugar, Poplar,
W. Oak & Upr. Spice

West Connected between Sect. 27 & 34

40.19 set of sec. part at aver. dist. from which

a Sugar 24 in. dia. bears S 27 E 41 lbs. dist. 8

an Elm 14 " " " N 50 W 50 " "

80.38 to sec. con.

North between Sect. 27 & 28

20.80 a Beech 12 in. dia.

40.00 set of sec. part from which

a Beech 10 in. dia. bears S 31 W 10 lbs. dist. 8

a Sugar 12 " " " N 5 W 35 " "

76.30 a Poplar 30 " "

80.00 set part con. of Sect. 21, 22, 27 & 28 from which

a Sugar 14 in. dia. bears N 30 E 13 lbs. dist. 8

a Do 10 " " " S 44 W 31 " "

Land level 2. rate, timber W. Oak, Walnut,
Ash, Sugar & Upr. Spice &c.

T. 17 N., R. 2 W. 2. Mer. Ind.?

Exp. Sta.

East on Random between Sec. 22 & 27

40.00 set temp. of sec. port

76.00 a Brook 30 yds. wide course SE

80.40 Intersect N. S. line 10 yds. N. of port -

Land level rich, timber W. Oak, Poplar, Walnut,
Sugar & V. Upr. Spice

West Connected between Sec. 22 & 27

40.20 set of sec. port at aver. dist. from which

a Poplar 36 in. diam. bears N 70° W 14 yds. dist. S

a Beech 24 " " " N 70° E 10 " "

80.40 to sec. cor.

North between Sec. 21 & 22

7.50 El River 20 yds. wide course SW

27.75 a W. Oak 24 in. dia.

40.00 set of sec. port from which

an Elm 30 in. diam. bears S 14° E 15 yds. dist. S

a Dr 14 " " " N 28° W 21 " "

61.00 a Poplar 36 " "

80.00 set port cor. of sec. 15, 16, 21 & 22 from which

a Sugar 16 in. diam. bears N 72° E 7 yds. dist. S

a Dr 8 " " " N 89° W 17 " "

Land level good 2nd rate, timber Beech, Sugar,
W. Oak & V. Upr. Spice

East on Random between Sec. 15 & 22

32.00 El River 20 yds. wide course SW

40.00 set temp. of sec. port

80.30 Intersect N. S. line 40 yds. N. of port -

Land rolling rich, timber Walnut, Sugar,
Ash, Poplar, W. Oak & V. Upr. Spice

West Connected between Sec. 15 & 22

40.15 set of sec. port at aver. dist. from which

a Beech 12 in. diam. bears N 51° E 25 yds. dist. S

T. 17 N., R. 2 W. 2. Mer. Ind. a

Elev. Elev?

a Beech 20 in. dia. bears S 92° W 11 lbs. dist.

80.15 to sec. cor.

North between Sec. 15 & 16

20.40 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Sycamore 36 in. dia. bears N 39° E 30 lbs. dist. S

a B. Ark 14 " " " S 75° W 37 " "

50.00 a Sugar 24 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Maple 15 in. dia. bears N 34° W 30 lbs. dist. S

an Elm 8 " " " N 43° E 20 " "

Land level 2. rate, timber W. Oak, Poplar,
Beech, Sugar & Upr. Spruce.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

67.40 a Brook 3 lbs. wide cross S.

80.20 Intersect No. 1 line 23 lbs. N. of post -

Land rolling good 2. rate, timber W. Oak, Walnut,
Beech, Sugar & Upr. Spruce

West Corrected between Sec. 10 & 15

40.10 set g. sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 41° E 2 lbs. dist. S

a Sugar 12 " " " S 73° W 30 " "

80.20 to sec. cor.

North between Sec. 9 & 10

18.50 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a B. Ark 12 in. dia. bears N 15° E 19 lbs. dist. S

an Elm 18 " " " S 15° W 8 " "

59.35 a P. Oak 36 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Beech 24 in. dia. bears N 19° E 23 lbs. dist. S

T. 17 N., R. 24 W. 2. Mer. Ind. a
 E. W. 260

a Beech 15 in. diameter N 82° W 25 lbs. dist.

Land level 2. rate, timber Beech, Sugar, Ash, W.
 Oak & Upr. Spice &c

East on Random between Sec. 3 & 10

40.00 set trap. of sec. part

80.30 Intersect N. & S. line 6 lbs. N. of part -

Land level 2. rate, timber W. Oak, Sugar, Beech,
 Upr. Spice &c

West Connected between Sec. 3 & 10

40.15 set of sec. part at over. dist. from which

a Beech 18 in. diameter N 75° E 18 lbs. dist. &

a Do 14 " " " N 56° W 17 " "

80.30 to sec. cor.

North between Sec. 3 & 14

18.23 a W. Oak 12 in. dia.

40.00 set of sec. part from which

a Sugar 20 in. diameter North 16 lbs. dist. &

a Do 12 " " " S 17° W 12 " "

57.94 a W. Oak 18 " "

82.53 Intersect N. Boundary 18 lbs. N. of part -

set part at intersection cor. of Sec. 3 & 14 from which

a R. Oak 36 in. diameter S 56° W 22 lbs. dist. &

an Elm 20 " " " S 63° E 33 " "

Land level 2. rate, timber W. Oak, Sugar, Beech,
 Upr. Spice June 28. 1820

North between Sec. 32 & 33

14.35 a Spring run course S 4 W

18.34 a Beech 12 in. dia.

25.50 a Spring run course S 4 W

40.00 set of sec. part from which

a Beech 16 in. diameter N 54° W 21 lbs. dist. &

a Do 16 " " " N 39° E 32 " "

T. 17 N., R. 2 W. 2 Mer. Ind. a

Ch. 1st.

60.39 a Sugar 12 in. dia.

80.00 set post cor. of sec. 28, 29, 32 & 33 from which
a Beech 12 in. dia. bears East 18 Ws. dist. 8

a Do 12 " " " S 20 W 25 " "

Land rolling good L. rate, timber W. Oak, Beech,
Sugar, Walnut & Upr. Spice &

East in Random between Sec. 28 & 33

4.00 a Spring run 2 Ws. wide course N. W.

11.00 a Brook 3 Ws. wide course N. W.

40.00 set temp. q. sec. post

80.30 Intersect N. & S. line 3 Ws. N. of post -

Land rolling good L. rate, timber W. Oak, Sugar,
Beech, Poplar & Upr. Spice &

West Corrected between Sec. 28 & 33

40.15 set q. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 33 W 32 Ws. dist. 8

a Do 18 " " " N 46 W 39 " "

80.30 to sec. cor.

North between Sec. 28 & 29

4.10 a Spring branch course N. W.

16.50 Owl River 25 Ws. wide course S. W.

35.25 a Poplar 24 in. dia.

40.00 set q. sec. post from which

a Beech 16 in. dia. bears N 82 E 27 Ws. dist. 8

a Do 12 " " " S 39 W 29 " "

60.50 a Poplar 36 " "

65.50 a Brook 3 Ws. wide course N. W.

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Beech 14 in. dia. bears N 45 W 33 Ws. dist. 8

a Do 12 " " " S 80 E 30 " "

Land rolling L. rate, timber Walnut, Poplar, W.
Ash & Upr. Spice &

T. 17 N., R. 2 W. 2. Mer. Ind. a.

Ch. Sh.

East on Random between Sec. 21 & 28

6.10 a Spring course SE

11.05 a Spring branch course SE

40.00 set temp. g. sec. post

47.05 a Brook 300 yds. wide course SE

56.30 Eel River 250 yds. wide course S W

80.28 Intersect N & S line 800 yds. N. of post -

Land rolling good 2. rate, timber Walnut, Sugar,
Poplar, W. Oak & Upr. Spice &c.

West Connected between Sec. 21 & 28

40.14 set g. sec. post at aver. dist. from which

an Elm 12 in. dia bears S 65 E 260 yds. dist. S

a Do 10 " " " North 10 " "

80.28 to sec. cor.

North between Sec. 20 & 21

15.20 a W. Oak 18 in. dia.

40.00 set g. sec. post from which

a Sugar 10 in. dia bears S 75 W 130 yds. dist. S

a Do 10 " " " N 6 E 12 " "

60.62 a P. Oak 36 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

an Elm 20 in. dia bears S 54 W 200 yds. dist. S

a Do 12 " " " N 54 E 18 " "

Land level good 2. rate, timber W & P. Oak, Sugar,
Ash &c. Upr. Spice &c.

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

80.21 Intersect N & S line 1800 yds. N. of post -

Land level 2. rate, timber W. Oak, Sugar, Beech,
Ash &c. Upr. Spice

West Connected between Sec. 16 & 21

40.10 set g. sec. post at aver. dist. from which

T. 17 N., R. 2 W. 2. Mer. Ind.?

Ch. Sta

a Sugar 10 in. diameter S 28 W 11 Ms. dist. 3
 a Beech 12 " " " N 14 E 12 " "
 80.21 to sec. cor. June 29, 1820

North between Sec. 16 & 17

12.00 a Sugar 10 in. dia.

40.00 set of sec. post from which

a Beech 10 in. diameter S 28 E 5 Ms. dist. 3

a Do 16 " " " N 66 W 12 " "

65.82 a Do 20 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Beech 20 in. diameter S 78 E 24 Ms. dist. 3

a Sugar 18 " " " N 71 W 26 " "

Land level 2 rate, timber W. Oak, Ash, Sugar,
 Beech & Upr. Spruce

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. post

80.18 Intersect N. S. line 28 Ms. N. of post -

Land level 2 rate, timber W. Oak, Beech, Ash,
 Sugar & Upr. Spruce

West Corrected between Sec. 9 & 16

40.09 set of sec. post at aver. dist. from which

a Beech 12 in. diameter S 5 E 16 Ms. dist. 3

a Do 18 " " " N 54 E 16 " "

80.18 to sec. cor.

North between Sec. 8 & 9

30.05 a Lycamore 40 in. dia.

40.00 set of sec. post from which

a W. Oak 18 in. diameter S 27 E 27 Ms. dist. 3

an Elm 16 " " " S 46 W 50 " "

57.20 a W. Oak 30 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Beech 12 in. diameter S 43 E 14 Ms. dist. 3

T. W. N., R. 2 W. 3. Mer. Ind. P.
Ch. Lk.

a Beech 15 in. diameter N 80 W 15 lbs. dist.
Land level 2. rate, timber W & R. Oak, Beech,
Sugar & Upr. Spruce &c

East on Random between Sec. 4 & 9

40.00 set temp. g. sec. post

80.05 Intersect N. S. line 21 lbs. N. of post -

Land level 2. rate, timber W. Oak, Beech, Sugar,
Ash & Upr. Spruce &c

West Connected between Sec. 4 & 9

40.02 set g. sec. post at aver. dist. from which

a Beech 10 in. diameter South 6 lbs. dist. &

Hickory 20 " " " N 40 E 6 " "

80.05 to sec. cor.

North between Sec. 4 & 5

15.80 a R. Oak 24 in. dia.

21.80 a Brook 3 lbs. wide course West

40.00 set g. sec. post from which

a Beech 12 in. diameter S 39 E 40 lbs. dist. &

a Do 16 " " " S 68 W 27 " "

56.16 a Sugar 18 " "

82.15 Intersect N. Boundary 30 lbs. E. of post -

set post at intersection cor. of Sec. 4 & 5 from which

a Beech 10 in. diameter S 44 W 15 lbs. dist. &

Hickory 10 " " " N 49 E 13 " "

Land level 2. rate, timber W. Oak, Beech, Sugar
&c June 30, 1820

North between Sec. 31 & 32

29.55 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Sugar 18 in. diameter N 50 E 17 lbs. dist. &

a Beech 12 " " " S 40 W 32 " "

60.00 a Brook 3 lbs. wide course S E

T. T. N., R. 2 W 2. Sec. Ind. a

Ech. P.

60.04 a W. Oak 24 in. dia.

77.50 a Brook 3 hrs. wide course SE

80.00 set post cor. of sec. 29, 30, 31 + 32 from which
a Beech 8 in. dia. bears N 40 W 15 hrs. dist. 8

a Do 12 " " " S 75 E 12 " "

Land rolling good 2. rate, timber W. Oak, Beech,
Poplar, Sugar &c.

East or Random between Sec. 29 & 32

20.50 a Spring run course SE

27.30 a Do " " SE

40.00 set temp. g. sec. post

63.50 Eel River 25 hrs. wide course SW

80.51 Intersect N 2 S. line 20 hrs. N. of post -

Land rolling 2. rate, timber W. Oak, Poplar, Sugar
& Upr. Spice

West Connected between Sec. 29 & 32

40.25 1/2 set g. sec. post at aver. dist. from which
a Sugar 16 in. dia. bears S 60 W 15 hrs. dist. 8

a Beech 12 " " " N 31 W 11 " "

80.51 to sec. cor.

North between Sec. 29 & 30

9.00 an Elm 18 in. dia.

40.00 set g. sec. post from which

a W. Ash 12 in. dia. bears N 61 W 5 hrs. dist. 8

a Do 10 " " " N 71 E 30 " "

55.90 a Beech 12 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Maple 10 in. dia. bears N 33 E 16 hrs. dist. 8

an Elm 20 " " " N 74 W 6 " "

Land level 2. rate, timber W. Oak, Sugar, Beech,
Poplar & Upr. Spice &c.

East or Random between Sec. 20 & 29

T17 N., R. 2 W. 2. Mer. Ind. a.

Chs. Lhs.

33.80 a Buck 2 Ms. wide corner SE

40.00 set temp. g. sec. post

80.48 Intersect N. & S. line 10 Ms. N. of post -

Land level 2^d rate, timber W. Oak, Beech, Sugar,
Ash & Upr. Spruce &

West Connected between Sec. 20 & 29

40.24 set g. sec. post at aver. dist. from which

a Sugar 14 in. dia bears S 25 E 12 Ms. dist. 3

a Do 18 " " " N 41 E 35 " "

80.48 to sec. cor.

North between Sec. 19 & 20

22.25 a Poplar 36 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia bears West 14 Ms. dist. 3

a Hickory 12 " " " N 79 E 6 " "

64.50 a Do 20 " "

80.00 set post cor. of Sec. 17, 18, 19 & 20 from which

a Beech 12 in. dia bears East 18 Ms. dist. 3

a W. Ash 15 " " " S 20 W 13 " "

Land level 2^d rate, timber W. Oak, Poplar, Sugar,
Ash & Upr. Spruce &

East or Random between Sec. 17 & 20

40.00 set temp. g. sec. post

80.52 Intersect N. & S. line 7 Ms. N. of post -

Land level 2^d rate, timber W. Oak, Beech,
Sugar & Upr. Spruce &

West Connected between Sec. 17 & 20

40.26 set g. sec. post at aver. dist. from which

a P. Oak 36 in. dia bears S 60 E 12 Ms. dist. 3

a Beech 14 " " " N 30 W 30 " "

80.52 to sec. cor.

T. 17 N., R. 2 W. 2. Mer. Ind.?

Chs. 26.

North between Sec. 17 & 18

15.17 a R. Oak 30 in. dia.

40.00 set of sec. port from which

a W. Ash 12 in. dia. bears S 68° W 9 lbs. dist. 3

an Elm 18 " " " N 15° W 9 " "

04.85 a W. Ash 24 " "

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

a Sugar 14 in. dia. bears N 81° E 27 lbs. dist. 3

a Spr 10 " " " S 47° W 21 " "

Land level 2^d rate, timber W. Oak, Beech, Sugar,
Ash, Poplar & Upr. Spice &c.

East on Random between Sec. 8 & 17

40.00 set temp. of sec. port

80.57 Intercept N & S line 35 lbs. — of port —

Land level 2^d rate, timber W. Oak, Walnut,
Poplar, Beech, Sugar, Upr. Spice &c.

West Corrected between Sec. 8 & 17

40.28 set of sec. port at av. dist. from which

a Walnut 20 in. dia. bears N 9° E 10 lbs. dist. 3

a Buckeye 6 " " " S 80° W 31 " "

80.57 to sec. cor.

North between Sec. 7 & 8

0.50 enter a Swamp

5.00 leave the "

16.50 a Hickory 12 in. dia.

40.00 set of sec. port from which

a W. Oak 24 in. dia. bears N 28° E 13 lbs. dist. 3

a Beech 6 " " " S 36° W 13 " "

48.90 an Elm 16 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Sugar 16 in. dia. bears N 77° E 20 lbs. dist. 3

a W. Oak 18 " " " S 9° W 20 " "

Land level 2^d rate, timber W. Oak, Beech,

T. 17 N., R. 2 W. 2. Mer. Ind.?

Ech. 2. 1/2

Sugar, Poplar, Upr. Spice &c.

East on Random between Sec. 5 & 8

2.00 a Brook 3 hrs. wide course N 4 W

40.00 set temp. g. sec. port

80.49 Intersect N. S. line 5 hrs. N. of port -

Land level good 2nd rate, timber Beech, Sugar,
Ash, W. Oak, Upr. Spice

West Connected between Sec. 5 & 8

40.24 set g. sec. port at aver. dist. from which

a Beech 10 in. dia. bears N 2 E 11 hrs. dist. S

a Do 14 " " " S 69 E 7 " "

80.49 to Sec. cor.

North between Sec. 5 & 6

6.00 a Brook 3 hrs. wide course N 4 W

20.00 a Beech 12 in. dia.

23.25 a Brook 10 hrs. wide course S 4 W

40.00 set g. sec. port from which

a W. Oak 18 in. dia. bears S 78 W 20 hrs. dist. S

a Beech 10 " " " N 64 E 6 " "

58.40 a Do 12 " "

82.63 Intersect N. Boundary 113 hrs. E. of port -

at port at intersection cor. of Sec. 5 & 6 from which

a W. Ash 12 in. dia. bears S 41 W 50 hrs. dist. S

a R. Oak 30 " " " S 85 W 43 " "

Land rolling 2nd rate, timber W. Oak, Beech,
Walnut, Poplar &c. Upr. Spice &c.

West between Sec. 30 & 31

2.01 a Brook 3 hrs. wide course S E

17.00 a Sugar 12 in. dia.

40.00 set g. sec. port from which

a B. Ash 18 in. dia. bears N 7 E 7 hrs. dist. S

an Elm 16 " " " S 80 W 4 " "

T. W. N., R. 2 W. 2. Mer. Ind.?
Chas. L. H.

65.80 a W. Oak 36 in. dia.

80.50 Intersect W. Boundary 100 Ws. S. of point -
set point at intersection cr. of sec. 30 & 31 from which

a Hickory 20 in. dia. bears N 51 E 30 Ws. dist. 8

a W. Oak 36 " " " S 37 W 32 " "

Land level 2nd rate, timber Beech, Sugar, Poplar,
Elm & Upr. Spice &c.

West between Sec. 19 & 30

8.00 cut to a Swamp

15.00 leave the "

19.09 a W. Ash 18 in. dia.

40.00 set g. sec. point from which

a Lycamore 28 in. dia. bears East 3 Ws. dist. 8

a Beech 10 " " " N 44 E 16 " "

57.00 a Do 10 " "

80.65 Intersect W. Boundary 115 Ws. S. of point -

set point at intersection cr. of sec. 19 & 30 from which

a W. Ash 18 in. dia. bears N 20 E 29 Ws. dist. 8

a Beech 10 " " " N 41 W 22 " "

Land level 2nd rate, timber W. Oak, Beech,
Poplar, Sugar & Upr. Spice

West between Sec. 18 & 19

23.85 a Beech 12 in. dia.

33.00 a Brook 4 Ws. wide course S W

40.00 set g. sec. point from which

a Sugar 20 in. dia. bears S 44 E 3 Ws. dist. 8

a Beech 12 " " " N 5 E 14 " "

65.20 a Do 15 " "

65.30 a Brook 4 Ws. wide course N W

80.58 Intersect W. Boundary 133 Ws. S. of point -

set point at intersection cr. of sec. 18 & 19 from which

a Hickory 24 in. dia. bears N 41 E 7 Ws. dist. 8

a Beech 16 " " " S 38 W 25 " "

Land level 2nd rate, timber W. Oak, Beech,

T. 17 N., R. 2 W. 2. Mer. Ind. ?
 Chas. Ellis

Sugar, Ash, Upr. Spruce &c

West between Sect. 7 & 18

25.10 a W. Oak 40 in. dia.

40.00 tot of sec. part from which

a Sugar 14 in. dia bears N 31 E 9 lbs. dist. 8

a Do 8 " " " S 63 E 19 " "

64.90 a P. Oak 24 " "

80.62 Intersect W. Boundary 150 lbs. S. of point -

tot part at intersection Cor. of Sect. 7 & 18 from which

a Beech 12 in. dia bears S 32 E - lbs. dist. 8

a Sugar 8 " " " S 21 W 4 " "

Land level 2^d rate, timber W. Oak, Beech, Sugar,
 Ash, Upr. Spruce

West between Sect. 6 & 7

20.00 a Poplar 36 in. dia.

40.00 tot of sec. part from which

a Beech 10 in. dia bears S 62 W 32 lbs. dist. 8

a Do 8 " " " N 11 W 20 " "

57.75 a Walnut 24 in. dia.

80.61 Intersect W. Boundary 200 lbs. S. of point -

tot part at intersection Cor. of Sect. 6 & 7 from which

a Sugar 15 in. dia bears N 56 W 9 lbs. dist. 8

a Do 24 " " " S 7 E 14 " "

Land level good 2^d rate, timber W. Oak,

Walnut, Poplar &c. July 1. 1820

Surveyed by

Joseph Collett
 Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.
17 North, in Range N. 2 West of the 2. Prin-
cipal Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.
Surveyor General's Office, }
Cincinnati, Sept. 26. 1842 }

William Johnston
Sur. Genl.